

Manuscript Title Solutions to Overcome Integrated Project Delivery Implementation Barriers: A Meta-Synthesis Approach

Authors Zahra Kahvandi, Silvio Melhado and Marina Lapa Viana

Submitted Date 30-Aug-2020 (1st Submission)

Accepted Date 24-Oct-2021

EARLY VIEW

Solutions to Overcome Integrated Project Delivery Implementation Barriers: A Meta-Synthesis Approach

Zahra Kahvandi¹, Silvio Melhado² and Marina L. Viana³

¹MSc, Department of Project and Construction Management, MehrAlborz University (MAU), Tehran, Iran. Email: z.kahvandi@gmail.com (*corresponding author)

²Associate Professor, École de Technologie Supérieure (ETS), Université du Québec, Montreal, Quebec, Canada. Email: silvio.melhado@etsmtl.ca

³MSc, School of Engineering and Technology, Asian Institute of Technology AIT, Ho Chi Minh, Vietnam. Email: marina_lapa@hotmail.com

Abstract: Construction projects encounter myriad problems, some of which may be connected to the project delivery model. Integrated Project Delivery (IPD) is an approach that removes the gap between the planning and construction stages of a project. Various barriers to implementation exist within the construction industry, and these can be resolved by effective solutions. Identifying and classifying these solutions is considered essential for successful project delivery. In this context, this study aims to illustrate and classify the solutions that have been proposed since the introduction of IPD as a new approach for the implementation of construction projects. In this study, a meta-synthesis approach has been used as a qualitative method, and pattern and descriptive coding and analysis have been used to analyze the data. The solutions analyzed in the meta-synthesis suggest that all stakeholders—including designers, construction engineers, construction team members, and operation and maintenance team members—each have the same responsibility to improve IPD and meet the project goals. This study is significant because it suggests important resolutions to the barriers to IPD implementation and may help construction industry stakeholders better facilitate IPD and enhance clauses of their contracts.

Keywords: Integrated Project Delivery (IPD), Barriers, Meta-Synthesis, Construction projects

INTRODUCTION

Construction projects are among the most important and costly projects in any country. They can both create jobs and impose high expenses on stakeholders.

Construction projects often lead to societal economic growth, and they also include maintenance of environmental and social sustainability. Projects should be completed to meet the needs of communities and improve quality of life, without compromising the needs of the next generation; additionally, they must be effectively designed, built, and maintained (Cheng, 2012). The steps needed to implement a construction project will be successful when a coherent group of stakeholders works together. Many available methods do not promote integration of project stakeholders. To improve project success, methods and systems for construction, operation, and maintenance can integrate the design and planning phases from construction and maintenance phases, generating cost and time savings (Ghassemi and Becerik-Gerber, 2011). One of the most important project delivery methods is Integrated Project Delivery (IPD). It can be acknowledged that “the concept of IPD is an effective integration for project owners to prevent problems in the delivery of construction projects” (Arbabi et al., 2017).

IPD's initial instructions and guidelines were developed by the American Association of Architects in 2007 (AIA, 2007). The IPD method is a project delivery approach with the following features: 1) risk/reward sharing, 2) early participation of project stakeholders, 3) replacing the tender stage with purchase stage, without traditional tender conditions, and 4) postponement of profit payment until project completion (Elghaish, Abrishami and Hosseini, 2020). This delivery method attempts to bridge the gap between the planning and construction phases of construction projects (Mihic, Sertic and Zavrski, 2014). Despite the benefits of IPD, some important obstacles have prevented it from being fully implemented. In some country contexts, obstacles can result in harm in the quality, time, cost, and main goals of the project. Thus, resolving the primary obstacles has been a concern for IPD executives in recent years. Numerous case studies have been done in an attempt to overcome such issues (Kahvandi et al. 2018; Alinezhad et al., 2020).

Numerous studies have discussed obstacles to IPD implementation (Kahvandi et al., 2018; Kahvandi et al., 2019b), and some case studies have presented project-specific solutions. However, so far, no research has been conducted to review all studies that identified solutions to IPD implementation. Thus, this study aims to illustrate and classify the solutions proposed in several studies conducted since the introduction of IPD as a new approach to construction project implementation. This broad view of potential solutions will help researchers and stakeholders in the construction industry to strengthen their solutions and utilize proven methods for IPD implementation. Therefore, this study seeks to answer: What are some of the solutions to resolve the obstacles to IPD implementation

from industry owners, and how will these solutions improve IPD implementation? This study is significant in that it will help stakeholders of the construction industry develop and undertake IPD. Moreover, it will aid in removing obstacles to IPD implementation by providing information to develop contract improvement tools. Furthermore, the solutions outlined in this study will be organized into major categories of construction domains to facilitate their examination, and in turn, will be organized as opportunities for IPD implementation by different stakeholders.

LITERATURE REVIEW

In this section, the definitions and principles related to IPD will be reviewed, as well as IPD barriers and the meta-synthesis approach.

Integrated Project Delivery (IPD)

In the 1940s, different construction delivery systems were being developed for use and improvement of projects. At this time, the design-bid-build approach had already been widely used in the United States for decades (Becerik-Gerber, DDes and Kent, 2010; Pishdad-bozorgi and Beliveau, 2017). Although this methodology was widely used, issues related to inefficiency, fragmentation, and resource waste were causing client dissatisfaction with projects' final results (Viana *et al.*, 2020). For a partial solution, a new method was implemented in the 1960s: the construction management approach. This method focuses on supervision and control of teams and information; however, it was still considered a partial solution because of frequent issues still occurring at the time (Hamzeh *et al.*, 2019). In the 1990s, the design-build method was created, aiming to put an end to all previous issues by using a single contract to provide both designing and building services. Unfortunately, the quality criteria decreased drastically when compared with previous methods (Becerik-Gerber, DDes and Kent, 2010; Hamzeh *et al.*, 2019; Kahvandi *et al.*, 2020). As the construction sector is experiencing major transformations and improvements due to rapid development, such traditional delivery methods may be unable to succeed as a result of extended project durations, cost overruns, low quality, frequent safety incidents, disputes, goal inconsistency, change orders, rework, adversarial relationships, arbitrations, and litigations (Durdyev *et al.*, 2019; Jadidoleslami *et al.*, 2019; Temel *et al.*, 2019).

To finally overcome such issues, Viana *et al.* (2020) outline how IPD has surged as a systematic and integrated construction process that improves the project through early involvement, multi or poly-party contracts, open communication, collaboration, goal-setting, team alignment, and building information modeling (BIM) technology. Additionally, projects implemented through IPD foster a shared risk and reward environment (Kahvandi *et al.*, 2017; Jadidoleslami *et al.*, 2019; Viana *et al.*, 2020). El Asmar, Hanna and Loh (2013) define the method as “a

delivery system distinguished by a multiparty agreement and the very early involvement of key participants.” Jadidoleslami et al. (2019) explain how the IPD method has focused on a win-win relationship and common interests between contractors. It is also important to mention that the AIA recommended that for a proper IPD implementation, some essential principles must be understood and applied through each of its seven phases: optimize the whole, not the parts; early and clear goal definition; collaboration; integration of people and systems; joint ownership; respect; trust; transparency; a safe environment; shared risk and reward; and up-to-date technology (Cheng, 2012). Table 1 illustrates the attributes of IPD characteristics and principles.

Table 1. The attributes of Integrated Project Delivery (Adapted (Mohamed Salleh et al., 2019))

Main Team Early Participation	<ul style="list-style-type: none"> • The main team participation at an early stage enhance improved and innovative ideas; • Team involvement allows immediate feedbacks for improvement; • Teamwork produces accurate costs and estimations;
Collaboration	<ul style="list-style-type: none"> • Enhance collaboration with iterative and immediate face-to-face communication; • Members of each department are put together in a big room concept; • Information exchange can illustrate unforeseen issues and increase trust;
Team Ideas Support	<ul style="list-style-type: none"> • The culture promotes innovation and creative thinking environment; • Motivated teamwork environment that allows overall project vision.; • Team members with a collaborative mindset, creativity, and adaptability;
Sharing	<ul style="list-style-type: none"> • Key participants sharing the pain and the gain of the project performance; • Creates a competitive team environment for rewards by cost savings on the project;
Financial Transparency	<ul style="list-style-type: none"> • Transparency among the contracting parties in decision making and cost savings; • Cost assessment benefits by reducing the risk of cost uncertainty;
Joint Decision Making	<ul style="list-style-type: none"> • The collaborative mindset to make any essential decision; • Creates innovation, especially in terms of progress and project coordination;
Trust & Accountability	<ul style="list-style-type: none"> • Trust enhances collaboration between parties and building accountability; • All information exchange process between contracting parties is easier to implement; • The concept of trust can prevent repetitive and redundant works.

Benefits of IPD include cost, time, quality, and the ability to improve on unforeseen issues during project implementation (Collins and Parrish, 2014; Flscher et al., 2017). Some of these benefits could be related to feasible estimations, fewer project changes, minimum waste, better communication, integration, and common goals, as well as an increase in quality (Collins and

Parrish, 2014; El Asmar, Hanna and Loh, 2015). Because of these benefits, Jadidoleslami et al. (2019) state, the project goals and objectives can be achieved faster, cheaper, and with less waste.

For instance, The Tønsberg Project was the first IPD project carried out in Norway, in the Norwegian healthcare sector. It consists of a 31,000 square meter somatic building and a 12,000 square meter psychiatry building, at a cost of approximately \$370 million USD. The Tønsberg Project embraced IPD and implemented all the theoretical IPD elements presented: technology, contract, processes, and culture (Aslesen et al., 2018). Experiences from the project highlight how IPD may facilitate a higher level of common understanding and collaboration between key project participants. Another case study highlighting the benefits of IPD is the Conference Center Project, a building project that consists of a conference center and a multimedia resource center in Jerusalem. The conference center is approximately 7,014 square meters. The project team was involved in different stages and worked individually as IPD functional groups. The use of IPD principles enabled integration at the project level. Additionally, IPD in this case was useful to enhance the performance of the construction supply by encouraging progression and coordination and reducing corrective iterations (Mesa, Molenaar and Alarcón, 2020).

In addition, Durdyev et al. (2019) describe how IPD could increase success in constructing greener buildings due to stakeholders' early involvement and trust, which are essential elements for delivering green building projects (Durdyev *et al.*, 2019; Chen and MingMak, 2021). Furthermore, Kraatz et al. (2014) highlight how all team members in a project bring knowledge, encouraging a culture of risk management and cost-efficient processes that impact the final project quality (Kraatz, Sanchez and Hampson, 2014).

IPD Barriers

Despite all the aforementioned benefits, according to Kahvandi et al. (2019), the number of construction companies utilizing IPD is still relatively small (Durdyev *et al.*, 2019; Kahvandi, Saghatforoush, Mahoud, *et al.*, 2019). The current numbers could be attributed to potential negative barriers that exist in applying the IPD method, where a successful delivery relies on establishing several mechanisms, and a failure in any of those could create major barriers to overcome (Sun *et al.*, 2015). These failures could include: flawed mechanisms in risk-sharing and profit distribution, ineffective decision-making systems, procurement difficulties, lack of trust, inadequate training, and disagreement on liability waivers, among others (Kent and Becerik-gerber, 2010; Durdyev *et al.*, 2019). When it comes to IPD implementation, developed countries possess some advantages due to access to more sophisticated technology. In developing countries, the situation is reversed, and the current barriers are more impactful (Ghassemi and Becerik-Gerber, 2011; Cheng *et al.*, 2018). Although the barriers are prevalent, a small number of studies exploring how to overcome such issues in developing countries

Solutions to Overcome IPD Implementation Barriers

have been conducted (Hamzeh *et al.*, 2019). One example from Iran emphasizes additional attention that must be taken when transitioning from traditional project methods to IPD, by aligning IPD regulations and the required infrastructure while also fostering collaboration culture (Noghli, Saghatforoush and Forghani, 2018). Another study in Malaysia corroborated the negative impacts in resisting to change from traditional methods to IPD (Osman *et al.*, 2015).

Several studies conducted in developed countries and emerging markets describe barriers to IPD implementation (Durdyev *et al.*, 2019). For an illustration of this literature, Durdyev *et al.* (2019) created a table providing a list and typology of barriers, which is divided into six categories. Table 2 illustrates this.

Table 2. Integrated Project Delivery Barriers (Adapted (Durdyev *et al.*, 2019))

Category	Description	Reference
Commitment and involvement (CI)	• Lack of commitment to quality throughout construction;	(CEC, 2015)
	• Lack of commitment by government officials;	(CEC, 2015; Hamzeh <i>et al.</i> , 2019)
	• Lack of commitment by the owner to an integrated approach;	(AIA, 2007; Atkinson and Westall, 2010)
	• Contractor's late engagement in design;	(Ghassemi and Becerik-Gerber, 2011)
	• Reluctance to cross-disciplinary input in an early design stage;	(Ghassemi and Becerik-Gerber, 2011)
	• Lack of tradespeople's involvement;	(Azhar, 2014)
Communication and collaboration (CC)	• Lack of operator's involvement.	(Azhar, 2014)
	• Lack of well-conducted kick-off meetings;	(CEC, 2015)
	• Lack of communication between stakeholders;	(AIA, 2007; Atkinson and Westall, 2010)
	• A poor relationship between stakeholders;	(Atkinson and Westall, 2010)
	• Lack of spirit of collaboration in each team member;	(Mesa, Molenaar and Alarcón, 2019)
	• Activity delays due to disputes;	(Mesa, Molenaar and Alarcón, 2016)
	• Lack of utilization of BIM;	(CEC, 2015)
	• Late and/or unclear decisions by the owner;	(Mesa, Molenaar and Alarcón, 2019)
• Unclear expectations by owner.	(Azhar, 2014)	
Skills and experience (SE)	• Lack of joint decision-making skills;	(AIA, 2007; Atkinson and Westall, 2010)
	• Lack of IPD experience of the	(Mesa, Molenaar

	contractor;	and Alarcón, 2019)
	<ul style="list-style-type: none"> • Lack of expert consultants in IPD. 	(CEC, 2015)
Motivation and promotion (MP)	<ul style="list-style-type: none"> • Lack of promotion to achieve the greenest buildings; • Lack of government incentive policies; • The unwillingness of the industry to varying from its traditional methods; • Lack of sustainability goals set by the client. 	(AIA, 2007; Atkinson and Westall, 2010) (Kent and Becerik-Gerber, 2010; Hamzeh <i>et al.</i> , 2019) (Ghassemi and Becerik-Gerber, 2011; Hamzeh <i>et al.</i> , 2019) (CEC, 2015)
Knowledge and information (KI)	<ul style="list-style-type: none"> • The steep learning curve in IPD projects; • Owner's lack of knowledge about alternative options for higher performance; • Lack of input provided on constructability and installation processes; • Lack of government regulations. 	(Kent and Becerik-Gerber, 2010; Hamzeh <i>et al.</i> , 2019) (CEC, 2015; Hamzeh <i>et al.</i> , 2019) (CEC, 2015) (Kent and Becerik-Gerber, 2010; Hamzeh <i>et al.</i> , 2019)
Project Execution (PE)	<ul style="list-style-type: none"> • High embedded risks (i.e. financial); • Long-term resiliency issues that put investment at risk; • Selection of a contractor for lowest-cost bids; • High initial investment; • Project size. 	(Hamzeh <i>et al.</i> , 2019) (CEC, 2015) (Mesa, Molenaar and Alarcón, 2016) (Azhar, 2014) (Mesa, Molenaar and Alarcón, 2016)

The barriers identified in the study are classified into six categories: commitment and involvement (CI); communication and collaboration (CC); skills and expertise (SE); motivation and promotion (MP); knowledge and information (KI); and project execution (PE) (Durdyev *et al.*, 2019). When it comes to commitment and involvement (CI), the lack of CI in decision-makers directly impacts the CC category with inefficiency among practitioners regarding exchanging and implementing lessons learned. Barriers in SE are related to the assimilation of new skills and competencies to support IPD. KI barriers are related to the concept of respect as a necessary catalyst to usage. Finally, PE-related barriers include difficulty with successful execution and integration of principles into every stage of project procurement (Durdyev *et al.*, 2019). Additionally, Kahvandi *et al.* (2019) present another list of IPD barriers, which is illustrated in Table 3.

Table 3. IPD Barriers Components (Adapted (Kahvandi, Saghatforoush, Zare Ravasan, *et al.*, 2019))

Components' Title	Factors' title
Managerial	The challenge of selecting compensator for financial losses; Inconsistency in project management; Poor matrix structure in project-based organizations; Lack of sufficient knowledge of investors about new successful contractual systems all over the world; Lack of holding training courses for investors about defining and stating the advantages of new successful contractual systems all over the world; Poor information sharing among different phases of the project; Lack of proper definition of teamwork culture among project key stakeholders.
Environmental	Lack of motivation for investors to use modern contracts, such as IPD approach; Lack of control and strong management of the employer; Lack of proper orientation for future and not paying attention to future development, particularly in the governmental projects; Lack of familiarity of contractors with IPD approach; Lack of conditions for the insurance to cover the entire project in the country, according to new contractual systems; Lack of conditions for the insurance to cover the responsibilities according to new contractual systems for the contractor; Non-participation of governmental agencies in construction, according to the governing rules in the governmental contracts.
Contractual	Lack of mutual trust among project key stakeholders regarding managerial and financial issues; Lack of appropriate policies and current construction contractual strategies; Lack of identical contracts among subcontractors, such as IPD approach; Tendency to use conventional contractual methods and resistance to new ideas; Lack of proper definition of responsibilities of each of parties of the contract.
Technical	Lack of integrated collaboration among key stakeholders, due to lack of the necessary technology; Lack of using BIM as an appropriate instrument to implement IPD approach; Lack of sufficient knowledge about design and construction and maintenance among employer agents.

In that study, a comprehensive list of barriers related to IPD implementation was developed through a questionnaire survey using a comprehensive IPD literature review. Stakeholders who responded to the survey include project managers, employers, consultants, and contractors in the construction field. Using exploratory factor analysis, four categories, or macro factors, of barriers were identified: contractual, environmental, managerial, and technical (Kahvandi, Saghatforoush, Zare Ravasan, *et al.*, 2019).

METHODOLOGY

The meta-synthesis approach, as Gu and Tang (2005) explain, is a “confident hypothesis, rigorous validation” — in other words, quantitative knowledge arises

from qualitative understanding. For such an approach, the proposed hypothesis and quantitative validation focus on unifying a myriad of information, computer technology, disciplines, human experience, and knowledge. According to Glass (1976), such an approach can be defined as a statistical method aiming to perform quantitative integration and analysis of the results from all the empirical studies relevant to a specific issue, and agreeable to quantitative aggregation (Glass, 1976). The approach can be oriented to a synthesized work coming from multiple disciplines or domains and appear in strategic planning, project assessment, and evaluation, or roughly, complex problem solving. Such a method can be classified into three different categories: 1) qualitative meta-synthesis, 2) qualitative/quantitative meta-synthesis, 3) meta-synthesis from qualitative hypothesis to quantitative validation (Gu and Tang, 2005). The first category, qualitative meta-synthesis, is considered the production of assumptions or hypotheses regarding unstructured problems, such as exposed qualitative relations or structures of concerning issues. The second category, qualitative/quantitative meta-synthesis, aims to conduct quantitative analysis based on qualitative assumptions acquired from the first category, where it is used in the systems analysts and engineering field. In the third and final category, meta-synthesis from the qualitative hypothesis focus on validating the results from the previous category, where if the validation is considered positive, solutions regarding the unstructured issue are acquired (Gu and Tang, 2005).

Using the meta-synthesis method, it is possible to achieve reliable results and ensure that the quality data is aligned. In addition, meta-synthesis uses the integration of several studies to produce complete findings. The meta-synthesis method qualitatively examines the data and findings of previous studies (Noblit and Hare, 1988). On the other hand, the meta-synthesis method is used for systematic search of resources and focuses on qualitative studies. This method is tested and establishes a clear relationship between the text of the initial studies and the conclusion by developing important rules for systematic review. Thomas and Harden (2008) enriched the qualitative research literature, emphasizing the necessity to collect separate studies to provide complete and concise results (Walsh and Downe, 2005). Some of the general goals of this method include summarizing and theorizing at high levels, and developing the concept under study (Sandelowski and Barroso, 2006).

The articles collected by the meta-synthesis method in the current study have been analyzed by QSR NVivo 8.0 software. This software plays a key role in the analysis of qualitative studies and allows for easy classification of data using a coding system. Thus, the meta-synthesis method was used to review and present existing solutions to resolve obstacles to IPD implementation in construction projects. The best data were extracted from the studies and categorized according to the research needs. Noblit and Heer (1988) provide a framework

for the meta-synthesis approach to analyze and synthesize the qualitative studies applying seven steps, as presented in Figure 1.



Figure 1. Steps of meta-synthesis method

In the next section, using this process of data analysis, the meta-synthesis approach is described.

DATA ANALYSIS

Step One: State the Research Question

In the meta-synthesis method, the first step is to develop and state the research question. The research question should be based on the researcher's interest or on previous studies (Noblit and Hare, 1988). To develop it, the researcher should follow four basic questions:

- What research has been done?
- Who?
- When?
- How does it use a method to collect research data?

In this study, the research done includes identification and classification of IPD implementation obstacles, as well as suggestions and solutions for how to solve these problems. The "who" is the research population, which in this study are the relevant databases, scientific articles and journals, books, and masters and doctoral dissertations. Research conducted from 2007 to 2020 will be evaluated. A systematic search of library studies has been done.

Thus, the question of this research is: What are the existing solutions to resolve the obstacles to IPD implementation in different countries between 2007 and 2020,

how can these solutions be categorized and how will they improve IPD implementation?

Step Two: Search for Studies Systematically

Next, we have done a systematic search for relevant studies using reliable databases in both the English and Persian languages. Studies published between 2007 and 2020 were included. The keywords used to search for relevant sources are listed in Table 4.

Table 4. Keywords used in the searches

Keywords
Integrated Project Delivery
Barriers of Implementation IPD
Project Management
Solutions Problems
Solutions Barriers
Solutions Obstacles
Overcome Problems
Overcome Barriers
Overcome Obstacles

The results and databases used are illustrated in Table 5.

Tabel 5. The name of English and Persian databases used throughout searches

Database
Wiley
ProQuest
Civilica
ASCE
ScienceDirect
AIA
SMPS Foundation
IEEE
Springer
Tylor&Francis
Dissertation

Step Three: Search and Select Appropriate Texts

In the third step of the meta-synthesis method, the selected texts are analyzed, and several criteria are used to remove studies that are not relevant to the research question (Yahyapour, Shamizanjani and Mosakhani, 2015). The criteria of this study were: publication dates between 2007 and 2020, high quality of the research methods and findings, and validity of the sources. After collecting

potential texts using the keywords outlined in Table 4, the sources were examined. Next, the titles and abstracts were reviewed to remove irrelevant sources. In the third step, the content of texts was reviewed. In the fourth step, the quality of the remaining articles was examined, using the Critical Assessment Skills Program (CASP). This program has 10 indices: 1) research objectives, 2) method logic, 3) research plan, 4) sampling method, 5) data collection, 6) reflection, 7) moral considerations, 8) data analysis and accuracy, 9) a clear statement of findings, and 10) research value (Campbell *et al.*, 2003). Each source was given a score between 0 and 50, based on these metrics, then they were divided into groups by quality Very good (41-50 points), good (31-40 points), medium (21-30 points), poor (11-20 points), and very poor (0-10 points) (Campbell *et al.*, 2003; Weed, 2006). In this study, the cases with a score of less than 21 were removed from further analysis.

Thus, the criteria for accepting the studies into the meta-synthesis included:

- Research language: English or Persian
- Publication date: 2007 to 2020
- Texts and findings: qualitative, quantitative-qualitative, and case studies
- Type of studies: articles, books, theses, organizational and institutional studies, masters and doctoral dissertations

Figure 2 shows the process of searching for and selecting relevant articles.




Figure 2. The process of searching

After using the CASP procedure to include only high-quality, relevant articles, 18 sources remained (Yahyapour, Shamizanjani and Mosakhani, 2015). Thus, the

remaining cases have been used for final analysis and the response to the research question.

Step Four: Extracting Data from Texts

After culling relevant articles based on the research question, the 18 sources that remained from the previous step were analyzed. Under the final selection process, the type of data of each study was specified. In the meta-synthesis method, a limited number of articles should be obtained. Researchers using the meta-synthesis method have found that reaching 18 sources is an acceptable result (Yahyapour, Shamizanjani and Mosakhani, 2015). It is important to mention that IPD is a new approach, and it has been implemented in a limited number of projects. The data collected in this step were coded based on their type, and then categorized. Finally, after performing the fifth step, the data were analyzed and categorized and presented in Table 3 according to the assigned codes.

Step Five: Analysis and Combining the Qualitative Data

Using QSR NVivo 8.0, each text was examined thematically. A codebook was created. Some codes were determined by the researcher, and others became relevant during the coding stage using the meta-synthesis method. Each data point was categorized using descriptive coding and analysis. Then, similar codes were identified and placed into subgroups. Subgroups were categorized based on topic, with the guidance of several experts in the construction industry.

Step Six: Quality Control of Findings

Using the meta-synthesis method, quality control is considered essential for a successful project delivery. In this study, the sources were selected from valid databases and the items that did not meet the required quality and validity were removed from the analysis. Then, to ensure the quality of the studies, the steps were reviewed, and the quality of them was evaluated using the Critical Assessment Skills Program (CASP). In this step, it is possible to ensure the quality of the sources and the data mentioned in their content. The selected codes and the information classification method of the texts extracted from the databases were compatible with the codes considered by this method. Data coding and classification were reviewed several times to ensure the quality of data. In the end, the opinions of other experts were used to verify the accuracy of the final results of the meta-synthesis method.

Step Seven: Presenting Results and Findings

In this step, the research question was answered. The categorization of solutions to resolve the obstacles to IPD implementation is presented in Table 6. Moreover,

Solutions to Overcome IPD Implementation Barriers

the naming and classification of this categorization have been reviewed by several experts in the construction industry.

Table 6. The solutions to resolve the obstacles to IPD implementation

Pattern Coding	Descriptive Coding	The Solutions	References
Technical and Executive	Designers and Construction Engineers	<ul style="list-style-type: none"> • Identifying the activities that lead to delays and planning, in order to eliminate them • Designing based on integration processes • The design should be simplified and integrated with the construction phase • Increased flexibility in designs • Developing a database in the design companies as the lessons learned from IPD • Creating a new post in the design organizations as IPD expert • Presenting plans in accordance with the unique conditions of the project site • Considering to use prefabricated components in the conceptual design phase • The designers should play an interactive role in the field of construction • Identifying the possible changes and reviewing and presenting alternative solutions • Specialized reviews using multi-disciplinary experts, who have reviewed the design and provide feedback • Using computer models to evaluate design features and make essential changes and identifying possible interactions and simulating different aspects of the project over time • Using a design checklist to review 	<p>(Ghassemi and Becerik-Gerber, 2011; Piroozfar <i>et al.</i>, 2019)</p> <p>(Durdyev <i>et al.</i>, 2019; Hamzeh <i>et al.</i>, 2019)</p> <p>(Durdyev <i>et al.</i>, 2019)</p> <p>(Pishdad-bozorgi, 2017; Piroozfar <i>et al.</i>, 2019)</p> <p>(Pishdad-bozorgi, 2017; Govender <i>et al.</i>, 2018)</p> <p>(Piroozfar <i>et al.</i>, 2019)(Hamzeh <i>et al.</i>, 2019)</p> <p>(Hall and Scott, 2019; Mohamed Salleh <i>et al.</i>, 2019)</p> <p>(Roy, Malsane and Samanta, 2018; Piroozfar <i>et al.</i>, 2019)</p> <p>(Ghassemi and Becerik-Gerber, 2011; Hall and Scott, 2019)</p> <p>(Zuber, Nawi and Nifa, 2019)</p> <p>(Hamzeh <i>et al.</i>, 2019)</p> <p>(Durdyev <i>et al.</i>, 2019)</p> <p>(Roy, Malsane and Samanta, 2018; Piroozfar <i>et al.</i>, 2019)</p> <p>(Hamzeh <i>et al.</i>,</p>

	<p>key features and requirements that should be met before implementation</p> <ul style="list-style-type: none"> • Designers and engineers should review technical specifications in order to reduce errors and conflicts before their final issuance • Using an industrial design system for easier construction • Presenting a constructible design and providing technical support for the construction team • The designers should contact with the construction experts to avoid conflicts and disagreements 	<p>2019)</p> <p>(Govender <i>et al.</i>, 2018; Durdyev <i>et al.</i>, 2019)</p> <p>(Piroozfar <i>et al.</i>, 2019; Zuber, Nawi and Nifa, 2019)</p> <p>(Bilbo <i>et al.</i>, 2015)</p> <p>(Nejati, Javidruzi and Mohebifar, 2014)</p>
The Construction and Operation and Maintenance Teams	<ul style="list-style-type: none"> • The outdated construction equipment and methods should be removed from plans • Providing the necessary suggestions to remove the restrictions and obstacles by the contractor team improves the hierarchy of site operations • The presence of construction contractors in the initial design phase with a focus on project cost and time assessment is important • The role of the contractor in improving the IPD system involves the use of an experienced team in the field of construction • Providing effective suggestions to the selected contractor will lead to effective alternatives for design and construction that will result in cost-effective changes. • Experimental models are an important part of the suggested plan that enhance project capabilities • Stakeholders' acceptance and understanding of the specific conditions of the IPD system at the end of the project • Paying special attention to safety and insurance issues in the project implementation phase 	<p>(Pishdad-bozorgi, 2017; Piroozfar <i>et al.</i>, 2019)</p> <p>(Durdyev <i>et al.</i>, 2019)</p> <p>(Pishdad-bozorgi, 2017; Ebrahimi and Dowlatabadi, 2018)</p> <p>(Ghassemi and Becerik-Gerber, 2011; Piroozfar <i>et al.</i>, 2019)</p> <p>(Govender <i>et al.</i>, 2018; Mohamed Salleh <i>et al.</i>, 2019)</p> <p>(Pishdad-bozorgi, 2017; Hall and Scott, 2019; Piroozfar <i>et al.</i>, 2019)</p> <p>(Roy, Malsane and Samanta, 2018; Mohamed Salleh <i>et al.</i>, 2019)</p> <p>(Bilbo <i>et al.</i>, 2015; Hall and Scott, 2019)</p>

Solutions to Overcome IPD Implementation Barriers

		<ul style="list-style-type: none"> • The presented plans should be reviewed by construction experts • The experience of construction phase staff can improve project design plans • They should consult with the contractors about determining materials, during the planning phase 	<p>(Mihic, Sertic and Zavrski, 2014; Piroozfar <i>et al.</i>, 2019)</p> <p>(Durdyev <i>et al.</i>, 2019)</p> <p>(Mihic, Sertic and Zavrski, 2014)</p>
Organizational and Managerial	Rules and Training	<ul style="list-style-type: none"> • Learning from users' feedback • Developing and using maintenance checklists and standards and further training of personnel to deal with cultural problems • Standardizing materials, construction details, construction systems, etc. through repetitive processes reduces some costs • Support designers to provide prefabricated designs and optimal plans • Taking advantage from design software and applications and project control and teaching them to the staff • Holding training meetings and seminars, by presenting a professional degree to improve IPD knowledge • Integrating and sharing knowledge of design, construction, and maintenance to develop technical standards and prevent future problems • Developing standards in designs according to the uniqueness of projects and developing practical standards according to the experiences of the owners of the construction industry • Modifying employment methods by emphasizing having good communication and teamwork skills • Effective management of construction resources such as improving responsibilities and standards of labors and trainings • Paying attention to the improvement of the knowledge of construction and maintenance 	<p>(Hall and Scott, 2019)</p> <p>(Nejati, Javidruzi and Mohebifar, 2014)</p> <p>(Govender <i>et al.</i>, 2018)</p> <p>(Nejati, Javidruzi and Mohebifar, 2014; Piroozfar <i>et al.</i>, 2019)</p> <p>(Ghassemi and Becerik-Gerber, 2011; Paik <i>et al.</i>, 2017)</p> <p>(Paik <i>et al.</i>, 2017; Piroozfar <i>et al.</i>, 2019)</p> <p>(Zuber, Nawi and Nifa, 2019)</p> <p>(Hall and Scott, 2019)</p> <p>(Govender <i>et al.</i>, 2018; Durdyev <i>et al.</i>, 2019)</p> <p>(Roy, Malsane and Samanta, 2018)</p> <p>(Nejati, Javidruzi and Mohebifar,</p>

	<ul style="list-style-type: none"> contractors and their presence in the early phases of design Developing special insurance policies to fully protect the stakeholders in IPD projects Developing special IPD rules to support banks and providing credits 	<p>2014; Piroozfar <i>et al.</i>, 2019)</p> <p>(Azhar, Kang and Ahmad, 2014)</p> <p>(Sommer, Dukovska-Popovska and Steger-Jensen, 2014)</p>
Finance and Contracts	<ul style="list-style-type: none"> Taking advantage from the experiences of the construction sector to perform the designs in contracts Preparing the contract documents for the presence of maintenance contractors in the early phases of design Developing a database of contractors with IPD implementation experience Considering more terms in contracts regarding site access and use, security and facilities The life cycle cost model selects the best implementation system The use of investment and contractual capabilities of the private finance initiative (PFI) Presenting and receiving investment plans that improve risk-taking. Providing field visits by designers of running projects for control and monitoring The use of investment and contractual capabilities as public private partnership (PPP) Using the life cycle cost at different stages of the decision-making process, because it calculates future costs, disruptions in the building operations, taxes, and energy, and predicts the life of building 	<p>(Ghassemi and Becerik-Gerber, 2011)</p> <p>(Mohamed Salleh <i>et al.</i>, 2019)</p> <p>(Ebrahimi and Dowlatabadi, 2018)</p> <p>(Azhar, Kang and Ahmad, 2014)</p> <p>(Sommer, Dukovska-Popovska and Steger-Jensen, 2014; Piroozfar <i>et al.</i>, 2019)</p> <p>(Paik <i>et al.</i>, 2017)</p> <p>(Ghassemi and Becerik-Gerber, 2011; Zuber, Nawi and Nifa, 2019)</p> <p>(Ahmad, Azhar and Chowdhury, 2019; Durdjev <i>et al.</i>, 2019)</p> <p>(Hall and Scott, 2019)</p> <p>(Azhar, Kang and Ahmad, 2014)</p> <p>(Ahmad, Azhar and Chowdhury, 2019)</p>

Solutions to Overcome IPD Implementation Barriers

	<ul style="list-style-type: none"> components, and analyzes failure. Considering a detailed schedule in contracts for all phases of the project life cycle Providing formal commitment to use the IPD system and then convincing owners and contractors to take advantage of it. 	<p>(Azhar, Kang and Ahmad, 2014; Nejati, Javidruzi and Mohebifar, 2014)</p> <p>(Sommer, Dukovska-Popovska and Steger-Jensen, 2014)</p>
The employer, Project Manager, and Planning Team	<ul style="list-style-type: none"> Selecting a design sub-consultant and a construction consultant who will specifically assist in the IPD implementation and project planning Investigating the obstacles that may interrupt the construction phase during the planning phase Using Facility Management (FM) in the early phases of the project Communicating with design and construction teams to select the appropriate options in the project life cycle Using methods and technologies that minimize the risks of climate change Using the contractor's experience in identifying materials Focusing on project optimization rather than design and planning optimization Welcome to creativity and new ideas for IPD promotion Accurate definition of project objectives to make detailed decisions in the project The full support of the employer for the IPD system improves the quality of the group working The employer's support for new design and construction methods The use of IPD as a basis for competition in construction 	<p>(Ahmad, Azhar and Chowdhury, 2019)</p> <p>(Paik <i>et al.</i>, 2017; Hall and Scott, 2019)</p> <p>(Pishdad-bozorgi, 2017)</p> <p>(Piroozfar <i>et al.</i>, 2019)</p> <p>(Paik <i>et al.</i>, 2017)</p> <p>(Durdyev <i>et al.</i>, 2019)</p> <p>(Ebrahimi and Dowlatabadi, 2018)</p> <p>(Hall and Scott, 2019; Piroozfar <i>et al.</i>, 2019)</p> <p>(Nejati, Javidruzi and Mohebifar, 2014; Ebrahimi and Dowlatabadi, 2018)</p> <p>(Piroozfar <i>et al.</i>, 2019; Zuber, Nawi and Nifa, 2019)</p> <p>(Nejati, Javidruzi and Mohebifar, 2014; Durdyev <i>et al.</i>, 2019)</p> <p>(Hamzeh <i>et al.</i>, 2019; Zuber, Nawi</p>

<ul style="list-style-type: none"> • Creating a centralized system of powerful support program to exchange design, technical, management, and monitoring information • Holding periodic brainstorming sessions at all stages • Regular reporting of IPD system benefits • Developing this attitude that IPD should be considered as an investment opportunity that reduces risks • Using external experts to take advantage of their experiences about IPD implementation in person and virtually • Focusing on teamwork to meet the goals of the group rather than personal goals • Using Building Information Modeling (BIM) 	<p>companies</p> <p>and Nifa, 2019) (Hamzeh <i>et al.</i>, 2019)</p> <p>(Sommer, Dukovska-Popovska and Steger-Jensen, 2014)</p> <p>(Azhar, 2014; Hall and Scott, 2019) (Paik <i>et al.</i>, 2017) (Zuber, Nawi and Nifa, 2019)</p> <p>(Bilbo <i>et al.</i>, 2015)</p> <p>(Azhar, 2014)</p> <p>(Durdyev <i>et al.</i>, 2019)</p>
<ul style="list-style-type: none"> • The use of experienced contractors regarding maintenance to attend in the initial phases of the project 	<p>(Azhar, 2014)</p>

Using the data presented in Table 6, Figure 3 shows a framework for descriptive and pattern analysis of solutions to resolve the obstacles to IPD implementation.




Figure 3. The framework of solutions to resolve the obstacles to IPD implementation

In recent years, several efforts have been made to resolve IPD obstacles. Given the current complexities, industry owners are trying to resolve conflicts to improve project quality. Due to advances in the methodology, IPD has been successfully implemented in numerous projects, and as expected, it has had the ability to resolve many of the problems present in traditional systems (Kahvandi, Saghatforoush, Mahoud, *et al.*, 2019). In this study, the authors attempt to examine and classify experiences and implementation solutions in a comprehensive and purposeful way. In the next section, we will discuss the results of this research.

DISCUSSION

Due to differences between countries' project conditions, obstacles in implementation of IPD have affected factors such as contracts and tenders, in both the private and public sectors (Collins and Parrish, 2014). In this sense, the current study sought to investigate and provide solutions to resolve such obstacles to IPD implementation. The solutions provided in this study are categorized into two major sections and five sub-sections. After reviewing the studies selected by the meta-synthesis method, different solutions were analyzed. In technical and executive areas, all stakeholders—including designers, construction engineers, construction teams, and operation and maintenance teams—each have the same responsibility to improve IPD and meet the project goals. For example, design based on integration processes should be done exactly according to IPD criteria. Designers should act in coordination with construction engineers, causing a significant cost reduction.

For example, in the Denver Hospital project in Colorado in the United States, worth \$160 million USD and scheduled to be completed within 24 months, the IPD method was successfully implemented. Because of this success, costs decreased 26% (Mesa, Molenaar and Alarcón, 2016). To improve IPD knowledge and achieve results such as this, solutions such as training sessions and seminars could be considered as options in the management of a project. This has already been implemented, for example, during construction of the Cardinal Glennon Children's Hospital project, in Missouri, in the United States. Stakeholders participated in training courses, and they used an integrated contract to solve inflexibility problems present in traditional contracts (AIA California Council, 2012). New methods in design and new construction technologies also allowed for the project's success. One additional project that could be used as an example is the San Francisco Medical Center project, also in the United States. For this project, the employer's consent to implement IPD saved roughly \$1 million USD in electrical equipment and \$5 million USD in mechanical equipment. Additionally, with the initial maintenance contractor

consultation, more appropriate and updated equipment was provided for the project (Kahvandi, Saghatforoush, Zare Ravasan, *et al.*, 2019). Finally, in the Sutter Health Fairfield Medical Center project in California, the initial budget was estimated to be \$22 million, but it was able to be reduced to \$19 million USD due to IPD method application (AIA California Council, 2012).

When it comes to protection of stakeholders in IPD projects, special insurance rules and provision of special credit to the contractors need to be put in place for the project's success. However, IPD insurance contracts are still in development. The Autodesk One Market project, a commercial building in the United States, was completed in 9 months with a budget of about \$10 million USD. The project team used conventional insurance contracts with the agreement that claims would not be made amongst stakeholders, except in cases of fraud and misconduct, in order to share the risks and rewards (Ghassemi and Becerik-Gerber, 2011). In this regard, the employer's full support of IPD can improve teamwork quality, as defined by mutual cooperation at the beginning of the project. Terminal 5 of London's Heathrow Airport is another complex project that used IPD principles and was completed with a £4.3 billion budget (Basu, Little and Millard, 2009). The success of this project depended on three areas: the procurement system, teamwork culture, and mutual trust, such that all stakeholders' main goals were able to be met (Caldwell, Roehrich and Davies, 2009; Brady and Davies, 2010).

Examples of IPD implementation in developing countries include a Wastewater Treatment Plant project in Vietnam, which was built to improve urban infrastructure for drainage and sewage systems. IPD is a new project implementation system in Vietnam, and this project's success has inspired the possibility of further IPD application in the construction industry, particularly in the early involvement of key participants, risk and reward management, and contracts. The Iran Mall project was the first project in Iran to use both BIM technology and IPD principles, and it is one of the largest commercial complexes in the Middle East. Its area is about 1,700,000 square meters, and it is located west of Tehran. This complex includes a commercial section, two office towers, parking, two five-star hotels, and catering halls. In this project, various contractors were employed with different types of contracts, some of which followed IPD methodology. However, due to existing challenges, IPD was not completely implemented (Kahvandi *et al.*, 2018).

It should be noted that the presented solutions do not resolve all obstacles, but the many benefits of IPD will allow construction industry owners in different countries to find solutions to resolve issues that may arise. Overall, IPD implementation aims to optimize the project's final cost, time, and quality.

CONCLUSIONS

Selecting appropriate project delivery methods could enable a construction project's success, and the IPD approach can support stakeholders in this regard. This study has collected research published between 2007 and 2020 to carefully examine solutions to resolve IPD obstacles, in an attempt to add an organized collection of IPD solutions to existing knowledge. The solutions presented in this study are only some of the first steps to improve the use of IPD in the future.

Using macro categorization and pattern coding, the solutions found in the analysis were coded into four categories: organizational, managerial, technical and executive, which cover most issues related to the construction field. In addition, the current study sought to provide a more comprehensive framework for solutions to resolve IPD obstacles. These solutions can also facilitate the presence of maintenance contractors in the early design and implementation phases of projects, which is an important step in improving the quality of complex projects. On the other hand, the findings illustrate that IPD can facilitate BIM absorption.

Limitations in this study include the resources used, the low use of IPD contracts, and the scarcity of referable resources. For future research in developing countries, the study opens new horizons for promoting the adoption of IPD in the Architecture, Engineering, and Construction (AEC) industry. The study's primary added value to the existing body of knowledge is to go beyond the conceptual stage of existing studies by initiating real-life applications of IPD through exploring and classifying case projects.

For further study, we suggest exploring how the construction industry can incorporate the servitization strategy to integrate construction and improve the relationship between AEC firms and the client specialized in the project during development.

REFERENCES

Ahmad, I., Azhar, N. and Chowdhury, A. (2019). Enhancement of IPD Characteristics as Impelled by Information and Communication Technology. *Journal of Management in Engineering*, 35(1): 1–12.
[https://doi.org/10.1061/\(ASCE\)ME.1943-5479.0000670](https://doi.org/10.1061/(ASCE)ME.1943-5479.0000670).

American Institute of Architects (2007). *Integrated Project Delivery: A Guide*. Vol. 1. Washington, DC: American Institute of Architects. Available at: <https://www.aia.org/resources/64146-integrated-project-delivery-a-guide> [Accessed on 4 November 2021].

Aslesen, A.R., Nordheim, R., Varegg, B. and Lædre, O. (2018). IPD in Norway. Paper presented at the 26th Annual Conference of the International Group for Lean Construction. Chennai, India, 18-20 July.
<https://doi.org/10.24928/2018/0284>.

El Asmar, M., Hanna, A.S. and Loh, W. (2013). Quantifying Performance for the Integrated Project Delivery (IPD) System as Compared to Established Delivery Systems. *Journal of Construction Engineering and Management*, 139(11): 1–14.
[https://doi.org/10.1061/\(ASCE\)CO.1943-7862.0000744](https://doi.org/10.1061/(ASCE)CO.1943-7862.0000744).

El Asmar, M., Hanna, A.S. and Loh, W. (2015). Evaluating Integrated Project Delivery Using the Project Quarterback Rating. *Journal of Construction Engineering and Management*, 142(1): 1–13.
[https://doi.org/10.1061/\(ASCE\)CO.1943-7862.0001015](https://doi.org/10.1061/(ASCE)CO.1943-7862.0001015).

Atkinson, A.R. and Westall, R. (2010.) The Relationship Between Integrated Design and Construction and Safety on Construction Projects. *Construction Management and Economics*, 28(9): 1007–1017.
<https://doi.org/10.1080/01446193.2010.504214>.

Azhar, N. (2014). Integrated Construction Project Delivery System in the U.S. Public Sector: An Information Modeling Framework. PhD diss. Florida International University. <https://doi.org/10.25148/etd.FI14071158>.

Azhar, N., Kang, Y. and Ahmad, I.U. (2014). Factors Influencing Integrated Project Delivery in Publicly Owned Construction Projects: An Information Modelling Perspective. *Procedia Engineering*, 77: 213–221.
<https://doi.org/10.1016/j.proeng.2014.07.019>.

Basu, R., Little, C. and Millard, C. (2009). Case Study: A Fresh Approach of the Balanced Scorecard in the Heathrow Terminal 5 Project. *Measuring Business Excellence*, 13(4): 22–33.

Becerik-Gerber, B. and Kent, D.C. (2010). Implementation of Integrated Project Delivery and Building Information Modeling on a Small Commercial Project. *International Journal of Project Management*, 1–6.
<https://doi.org/10.1.1.705.3757>.

Bilbo, D., Bigelow, B.F., Escamilla E. and Lockwood C. (2014). Comparison of Construction Manager at Risk and Integrated Project Delivery Performance on Healthcare Projects: A Comparative Case Study. *International Journal of Construction Education and Research*, 11(1): 40–53.
<https://doi.org/10.1080/15578771.2013.872734>.

Brady, T. and Davies, A. (2010). From Hero to Hubris – Reconsidering the Project Management of Heathrow's Terminal 5. *International Journal of Project Management*, 28(2): 151–157.

Caldwell, N., Roehrich, J. and Davies, A. (2009). Procuring Complex Performance in Construction: London Heathrow Terminal 5 and a Private Finance Initiative Hospital. *Journal of Purchasing and Supply Management*, 15(3): 178–186.

Campbell, R., Pound, P., Pope, C., Britten, N., Pill, R., Morgan, M. and Donovan J. (2003). Evaluating Meta-Ethnography: A Synthesis of Qualitative Research on Lay Experiences of Diabetes and Diabetes Care. *Social Science & Medicine*, 56(4): 671–684.

Commission for Environmental Cooperation (2015). Improving green building construction in North America: Guide to integrated design and delivery. Commission for Environmental Cooperation. Available at: <https://www3.cec.org/islandora/en/item/11661-improving-green-building-construction-in-north-america-guide-integrateddesign-en.pdf>.

Chen, L. and MingMak, C. (2021). Integrated Impacts of Building Height and Upstream Building on Pedestrian Comfort Around Ideal Lift-Up Buildings in A Weak Wind Environment. *Building and Environment*, 200: 107963. <https://doi.org/10.1016/j.buildenv.2021.107963>.

Cheng, J.C.P., Tan, Y., Song, Y., Mei, Z., Gan, V.J.L. and Wang, X. (2018). Developing An Evacuation Evaluation Model for Offshore Oil and Gas Platforms Using BIM And Agent-Based Model. *Automation in Construction*, 89: 214–224. <https://doi.org/10.1016/j.autcon.2018.02.011>.

Cheng, R. (2012). IPD Case Studies. Minnesota: American Institute of Architects. Available at: <https://hdl.handle.net/11299/201408> [Accessed on 4 November 2021].

Collins, W. and Parrish, K. (2014). The Need for Integrated Project Delivery in the Public Sector. Paper presented at the Construction Research Congress. Atlanta, Georgia, 19-21 May. <https://doi.org/10.1061/9780784413517.074>.

Durdyev, S., Hosseini, M.R., Martek, I., Ismail S. and Arashpour M. (2019). Barriers To the Use of Integrated Project Delivery (IPD): A Quantified Model for Malaysia. *Engineering, Construction and Architectural Management*, 27(1): 186–204. <https://doi.org/10.1108/ECAM-12-2018-0535>.

Ebrahimi, G. and Dowlatabadi, H. (2018). Perceived Challenges in Implementing Integrated Project Delivery (IPD): Insights from Stakeholders in the U.S. and

Canada for a Path Forward. *International Journal of Construction Education and Research*, 15(4): 1–24. <https://doi.org/10.1080/15578771.2018.1525446>.

Ghassemi, R. and Becerik-Gerber, B. (2011). Transitioning To Integrated Project Delivery: Potential Barriers and Lessons Learned. *Lean Construction Journal*, 32–52. Available at: https://leanconstruction.org/uploads/wp/media/docs/ktll-add-read/Transitioning_to_Integrated_Project_Delivery_Potential_barriers_and_lessons_learned.pdf.

Glass, G.V. (1976). Primary, Secondary, and Meta-Analysis of Research. *Educational Researcher*, 5(10): 3–8. <https://doi.org/10.2307/1174772>.

Govender, K, Nyagwachi, J., Smallwood J.J. and Allen C.J. (2018). The Awareness of Integrated Project Delivery and Building Information Modelling - Facilitating Construction Projects. *International Journal of Sustainable Development and Planning*, 13(1): 121–129. <https://doi.org/10.2495/SDP-V13-N1-121-129>.

Gu, J. and Tang, X. (2005). Meta-synthesis approach to complex system modeling. *European Journal of Operational Research*, 166(3): 597–614. <https://doi.org/10.1016/j.ejor.2004.03.036>.

Hall, D.M. and Scott, W.R. (2019). Early Stages in the Institutionalization of Integrated Project Delivery. *Project Management Journal*. 50(2): 1–16. <https://doi.org/10.1177/8756972818819915>.

Hamzeh, F., Rached, F., Hraoui, Y., Karam, A.J., Malaeb, Z., El Asmar, M. and Abbas, Y. (2019). Integrated Project Delivery as An Enabler for Collaboration: A Middle East Perspective. *Built Environment Project and Asset Management*, 9(3): 334-347. <https://doi.org/10.1108/BEPAM-05-2018-0084>.

Jadidoleslami, S., Saghatforoush, E., Heravi, A. and Preece, C. (2019). A Practical Framework to Facilitate Constructability Implementation Using the Integrated Project Delivery Approach: A Case Study. *International Journal of Construction Management*, 1-15. <https://doi.org/10.1080/15623599.2019.1686834>.

Kahvandi, Z., Saghatforoush, E., Alinezhad, M. and Noghli, F. (2017). Integrated Project Delivery (IPD) Research Trends. *Journal of Engineering, Project, and Production Management*, 7(2): 99–114. <https://doi.org/10.32738/JEPPM.201707.0006>.

Kahvandi, Z., Saghatforoush, E., Ravasan, A.Z. and Mansouri, T. (2018). An FCM-Based Dynamic Modelling of Integrated Project Delivery Implementation Challenges in Construction Projects. *Lean Construction Journal*, 87: 63-87.

Available at: <http://usir.salford.ac.uk/id/eprint/60884>.

Kahvandi, Z., Saghatforoush, E., Mahoud, M. and Preece, C. (2019a). Analysis of the Barriers to the Implementation of Integrated Project Delivery (IPD): A Meta-Synthesis Approach. *Journal of Engineering, Project, and Production Management*, 9(1): 2-11. <https://doi.org/10.2478/jepm-2019-0002>.

Kahvandi, Z., Saghatforoush, E., ZareRavasan, A. and Preece, C. (2019b). Integrated Project Delivery Implementation Challenges in the Construction Industry. *Civil Engineering Journal*, 5(8): 1672-1683. <https://doi.org/10.28991/cej-2019-03091362>.

Kahvandi, Z., Saghatforoush, E., ZareRavasan, A. and Viana, M.L. (2020). A Review and Classification of Integrated Project Delivery Implementation Enablers. *Journal of Construction in Developing Countries*, 25(2): 1–20. <https://doi.org/10.21315/jcdc2020.25.2.9>.

Kent, D.C. and Becerik-Gerber, B. (2010). Understanding Construction Industry Experience and Attitudes toward Integrated Project Delivery. *Journal of Construction Engineering and Management*, 136(8): 815–825. [https://doi.org/10.1061/\(ASCE\)CO.1943-7862.0000188](https://doi.org/10.1061/(ASCE)CO.1943-7862.0000188).

Kent, D.C. and Becerik-Gerber, B. (2010). Understanding Construction Industry Experience and Attitudes toward Integrated Project Delivery. *Journal of Construction Engineering and Management*, 136(8): 815–825. <https://doi.org/10.1061/ASCECO.1943-7862.0000188>.

Kraatz, J., Sanchez, A. and Hampson, K. (2014). Digital Modeling, Integrated Project Delivery and Industry Transformation: An Australian Case Study. *Buildings*, 4(3): 453–466. <https://doi.org/10.3390/buildings4030453>.

Mesa, H.A., Molenaar, K.R. and Alarcón, L.F. (2016). Exploring Performance of The Integrated Project Delivery Process on Complex Building Projects. *International Journal of Project Management*, 34(7), 1089–1101. <https://doi.org/10.1016/j.ijproman.2016.05.007>.

Mesa, H.A., Molenaar, K.R. and Alarcón, L.F. (2019). Comparative Analysis Between Integrated Project Delivery and Lean Project Delivery. *International Journal of Project Management*, 37(3): 395–409. <https://doi.org/10.1016/j.ijproman.2019.01.012>.

Mesa, H.A., Molenaar, K.R. and Alarcón, L.F. (2020). Modeling supply chain integration in an integrated project delivery system. *Sustainability*, 12(12): 5092. <https://doi.org/10.3390/su12125092>.

Mihic, M., Sertic, J. and Zavrski, I. (2014). Integrated Project Delivery as Integration between Solution Development and Solution Implementation. *Procedia - Social and Behavioral Sciences*, 119: 557–565. <https://doi.org/10.1016/j.sbspro.2014.03.062>.

Mohamed Salleh, R., Mustaffa, N.E., Abdul Rahiman, N., Tajul Ariffin, H.L. and Othman, N. (2019). The Propensity of Building Information Modelling and Integrated Project Delivery in Building Construction Project. *International Journal of Built Environment and Sustainability*, 6(1–2): 83–90. <https://doi.org/10.11113/ijbes.v6.n1-2.386>.

Nejati, I., Javidruzi, M. and Mohebifar, A. H. (2014). Feasibility of Using an Integrated Project Delivery (IPD) in Mass Housing Collaborative Projects. *Advances in Environmental Biology*, 8(25): 211–218. Available at: link.gale.com/apps/doc/A417737837/AONE?u=anon~cda4c89c&sid=googleScholar&xid=3718a9b6.

Noblit, G.W. and Hare, R.D. (1988). *Meta-Ethnography: Synthesizing Qualitative Studies*. North Carolina: SAGE Publications. <https://doi.org/10.4135/9781412985000>

Noghli, F., Saghatforoush, E. and Forghani, Z. (2018). Evaluating the Need to Use Integrated Project Delivery (IPD) Approach as a New Alternative Implementation System in Developing Countries. In S. Şahin (ed.). *8th International Conference on Engineering, Project, and Product Management*. Springer, 311-319. https://doi.org/10.1007/978-3-319-74123-9_33.

Osman, W.N., Nawli, M.N.M., Anuar, H.S., Radzuan, K. and Osman, N.N. (2015). Readiness Assessment for Implementation of Integrated Project Delivery (IPD) in Industrialised Building System (IBS) projects', *Jurnal Teknologi*, 77(4): 91–95. <https://doi.org/10.11113/jt.v77.6046>.

Paik, J.E., Miller, V., Mollaoglu, S. and Sun, W.A. (2017). Interorganizational Projects: Reexamining Innovation Implementation via IPD Cases. *Journal of Management in Engineering*, 33(5): 1–15. [https://doi.org/10.1061/\(ASCE\)ME.1943-5479.0000524](https://doi.org/10.1061/(ASCE)ME.1943-5479.0000524).

Piroozfar, P., Farr, E.R.P., Zadeh, A.H.M., Inacio, S.T., Kilgallon, S. and Jin R. (2019). Facilitating Building Information Modelling (BIM) using Integrated Project Delivery (IPD): A UK perspective. *Journal of Building Engineering*. 26:1–22. <https://doi.org/10.1016/j.jobe.2019.100907>.

Pishdad-Bozorgi, P. (2017). Case Studies on the Role of Integrated Project

Delivery (IPD) Approach on the Establishment and Promotion of Trust Case Studies on the Role of Integrated Project Delivery (IPD) Approach on the Establishment and Promotion of Trust. *International Journal of Construction Education and Research*, 13(2): 102–124.
<https://doi.org/10.1080/15578771.2016.1226213>.

Pishdad-Bozorgi, P. and Beliveau, Y.J. (2017). A Schema of Trust Building Attributes and Their Corresponding Integrated Project Delivery Traits. *International Journal of Construction Education and Research*, 12(2): 142–160.
<https://doi.org/10.1080/15578771.2015.1118171>.

Roy, D., Malsane, S. and Samanta, P.K. (2018). Identification of Critical Challenges for Adoption of Integrated Project Delivery. *Lean Construction Journal*, 1–15. Available at:
https://leanconstruction.org/uploads/wp/media/docs/lcj/2018/LCJ_17_007.pdf

Sandelowski, M. and Barroso, J. (2006). *Handbook for Synthesizing Qualitative Research*. New York: Springer.

Sommer, A. F., Dukovska-Popovska, I. and Steger-Jensen, K. (2014). Barriers Towards Integrated Product Development — Challenges from A Holistic Project Management Perspective. *International Journal of Project Management*, 32(6): 970–982. <https://doi.org/10.1016/j.ijproman.2013.10.013>.

Sun, W., Mollaoglu, S., Miller, V. and Manata, B. (2015). Communication Behaviors to Implement Innovations: How Do AEC Teams Communicate in IPD Projects? *Project Management Journal*, 46(1): 84–96.
<https://doi.org/10.1002/pmj.21478>.

Temel, B.A., Başağa, H.B., Uluçay Temel, M., Kamber Yılmaz, G. and Nasery, M.M. (2019). Big Room Concept in Project Management and Control. *Journal of Construction Engineering, Management & Innovation*, 2(4): 204–214.
<https://doi.org/10.31462/jcemi.2019.04204214>.

Viana, M.L., Hadikusumo, B.H.W., Mohammad, M.Z. and Kahvandi, Z. (2020). Integrated Project Delivery (IPD): An Updated Review and Analysis Case Study. *Journal of Engineering, Project, and Production Management*, 10(2): 147–161.
<https://doi.org/10.2478/jepm-2020-0017>.

Walsh, D. and Downe, S. (2005). Meta-Synthesis Method for Qualitative Research: A Literature Review. *Journal Of Advanced Nursing*, 50(2): 204–211.
<https://doi.org/10.1111/j.1365-2648.2005.03380.x>.

Weed, M.E. (2006). Sports Tourism Research 2000–2004: A Systematic Review of

Knowledge and A Meta-Evaluation of Methods. *Journal of Sport and Tourism*, 11(1): 5–30. <https://doi.org/10.1080/14775080600985150>.

Yahyapour, S., Shamizanjani, M. and Mosakhani, M. (2015). The Conceptual Framework Knowledge Management Benefits of Using Meta-Synthesis. *Journal of Knowledge Management*, 19(6): 1295–1309. <https://doi.org/10.1108/JKM-05-2015-0166>.

Zuber, S.Z.S., Nawi, N.M. and Nifa, F.A.A. (2019). Construction Procurement Practice: A Review Study of Integrated Project Delivery (IPD) In the Malaysian Construction Projects. *International Journal of Supply Chain Management*, 8(1): 777–783. Available at: <https://core.ac.uk/download/pdf/230742777.pdf>.